IMMBIOMED

Monoclonal antibody against human CD17 Product Nos. ADG5012 and ADG5012L

Description

CD17. lactosylceramide. is ubiquitous an alvcosphinaolipid with uncharged disaccharide headgroup, highly enriched in lipid raft-derived structures. Besides playing a pivotal role in the glycosphingilipids. biosynthesis of complex lactosylceramide is involved in cell-cell and cell-matrix interactions and in signaling events linked to cell development, differentiation, apoptosis and oncogenesis. Lactosylceramide regulates integrin functions and production of nitric oxide. Its expression defines successive stages in the maturation of myeloid cells. Lactosylceramide (LaCer) is present on peripheral blood granulocytes including basophils, monocytes, platelets and a subset of B cells (40-80% CD19+). In tissues, CDw17 is found on tonsillar dendritic cells, epithelial cells, intestinal epithelium and endothelial. CDw17 antigen may play a role in phagocytosis.

Properties

The monoclonal antibody ADG5012/L (clone HIP10) is a murine monoclonal antibody, subclass IgM. The antibody has been purified by hydroxyapatite hydrophobic chromatography, Purity > 95% (by SDS-PAGE).

The antibody recognizes CDw17, a membrane lipid moiety lactosylceramide expressed on granulocytes, monocytes and platelets.

Presentation

Vial containing 100 μ g /100 μ l (ADG5012) or 300 μ g/ 300 μ l (ADG5012L) of purified antibody in PBS containing 0.09 % sodium azide (pH 7.2). The IgG concentration is 1 mg/ml. Spin the vial briefly before opening.

Storage and Stability

Store at 4 °C. For long-term storage aliquot and store at -20° . It is recommended to avoid freeze-thaw cycles. The reagent is stable until the expiry date stated on the vial label.

Applications

Flow Cytometry, Immunofluorescence

References

Leucocyte Typing VI. Tadamitsu L et al. (Eds.), White Cell Differentiation Antigens, Garland Publishing New York (1997).



Gerhart-Hauptmann-Str. 48 69221 Dossenheim Tel +49 6221 868023 Fax +49 6221 8680255 www.loxo.de - info@loxo.de

Hinweis/Note:

Der Packungsbeileger dient nur als erste Information. Der relevante Packungsbeileger liegt der Ware bei.

The datasheet is for information purposes only. The current datasheet will be enclosed with product shipment.

This material is offered for <u>research use only</u>. Not for use in human. For in vitro use only. ImmBioMed will not be held responsible for patent infringement or other violations that may occur with the use of our products.