IMMBIOMED

ImmBioMed GmbH & Co. KG

Bergstrasse 85, DE-64319 Pfungstadt Phone: +49 6157 9799 685, Fax: +49 6157 86443

Monoclonal antibody against human CD41 FITC conjugated

Product Nos. ADG5027 and ADG5027L

Description

CD41 (platelet glycoprotein IIb) is composed of two subunits (120 kDa a, α and 23 kDa b, β) that interact with CD61 in the presence of calcium to form a functional adhesive protein receptor. Upon blood vessel damage, this receptor binds to a variety of proteins including von Willebrand factor, fibrinogen, fibronectin and vitronectin. CD41 is mainly expressed on megakaryocyte-platelet lineage, but generally belongs to the antigens that are expressed during early stages of hematopoietic differentiation.

Properties

The monoclonal antibody ADG5027/L (clone MEM-06) is a murine monoclonal antibody, subclass IgG_1 . The antibody has been purified from by protein-A affinity chromatography, Purity > 95% (by SDS-PAGE).

The antibody reacts with CD41 (GPIIb), a transmembrane glycoprotein (integrin family) composed of two chains GPIIbα (heavy chain; 120 kDa) and GPIIbβ (light chain; 23 kDa). CD41 is mainly expressed on platelets and megakaryocytes.

Conjugation

The purified antibody is conjugated with Fluoresceinisothiocyanate (FITC) under optimum conditions. The reagent is adjusted for direct use. No reconstitution is necessary.

Distributed by: LOXO MOST NOTE OF THE PRODUKTE UND SYSTEME

Gerhart-Hauptmann-Str. 48 69221 Dossenheim

Tel +49 6221 868023 Fax +49 6221 8680255 www.loxo.de - info@loxo.de

Presentation

Vial containing 500 μ l (ADG5027) or 2 ml (ADG5027L) of purified antibody in PBS containing 1% BSA and 0.09% sodium azide (pH 7.2). The IgG concentration is 1 mg/ml. Spin the vial briefly before opening.

Storage and Stability

Store the antibody at 4°C. Avoid prolonged exposure to light. The reagent is stable until the expiry date stated on the vial label.

Applications

Flow Cytometry

References

Debili N, Robin C, Schiavon V, Letestu R, Pflumio F, Mitjavila-Garcia MT, Coulombel L, Vainchenker W: Blood. 2001 Apr 1;97(7):2023-30.

Mitjavila-Garcia MT, Cailleret M, Godin I, Nogueira MM, Cohen-Solal K, Schiavon V, Lecluse Y, Le Pesteur F, Lagrue AH, Vainchenker W: Development. 2002 Apr;129(8):2003-13.

Ferkowicz MJ, Starr M, Xie X, Li W, Johnson SA, Shelley WC, Morrison PR, Yoder MC: Development. 2003 Sep;130(18):4393-403.

Zhang J, Varas F, Stadtfeld M, Heck S, Faust N, Graf T: Exp Hematol. 2007 Mar;35(3):490-499.

Hinweis/Note:

Der Packungsbeileger dient nur als erste Information. Der relevante Packungsbeileger liegt der Ware bei.

The datasheet is for information purposes only. The current datasheet will be enclosed with product shipment.

This material is offered for <u>research use only</u>. Not for use in human. For in vitro use only. ImmBioMed will not be held responsible for patent infringement or other violations that may occur with the use of our products.