IMMBIOMED

ImmBioMed GmbH & Co. KG Bergstrasse 85, DE-64319 Pfungstadt Phone: +49 6157 9799 685, Fax: +49 6157 86443

Monoclonal antibody against Outer surface protein A (OspA) Borrelia burgdorferi [LA2.2.1]

Product No. ADG0081L

Description

The outer surface Protein A (OspA) of *Borrelia burgdorferi* has been a focus of scientific scrutiny since its identification. This 31-kDa lipoprotein is localized on the surface and in the periplasmic space of *B. burgdorferi*. OspA coats the spirochetes from the time the enter ticks until they are transmitted to a mammal. Vaccination with OspA elicits antibody that can target spirochetes in the tick midgut during feeding and inhibit transmission to mammals. OspA was the primary component of the human LYMErix[™] vaccine.

Properties

The monoclonal antibody ADG0081L (**clone LA-2.2.1**) is a murine monoclonal antibody, subclass IgG_{2b} recognizing OspA. Mice were immunized with cell lysates of *Borrelia burgdorferi*. The antibody has been purified from cell culture supernatant using Protein G affinity chromatography.

Presentation

Vial containing 1 mg purified antibody in PBS pH 7.4. The concentration is given on the vial label. Spin the vial briefly before opening.

Storage and Stability

Store the antibody at $2^{\circ}-8^{\circ}$ C. For long-term storage the antibody should be aliquoted and stored at -20° C or colder. It is recommended to avoid freeze-thaw cycles.

Applications

A. ELISA


The antibody can be used as capture antibody in ELISAs. An antibody concentration of 1-10 μ g/ml is recommended.

B. Westernblot

The antibody is suitable for Western blot analysis, detecting native and recombinant OspA following SDS-PAGE under reducing conditions. A primary antibody concentration of 1-10 µg/mL is recommended.

C. Immunocytochemistry

The antibody can be used for immunocytochemistry on paraformaldehyde fixed spirochetes and for cryoelectron tomography.



References

- Cloning and sequencing of the gene endcoding the outer surface prtotein A (OspA) of a European *Borrelia burgdorferi* isolate. Wallich et al. *Nucleic Acids Res.* 1989; 17(21):8864
- 2. Monoclonal antibodies specific for the Outer surface protein A (OspA) of *Borrelia burgdorferi* prevent Lyme borreliosis in severe combined immunodeficiency (scid) mice. Schaible et al. *Proc. Natl. Acad. Sci. USA* 1990; 87(10):3768-3772
- 3. Vaccination against Lyme disease with recombinant *Borrelia burgdorferi* outer-surface lipoprotein A with adjuvant. Lyme Disease Vaccine Study Group. Steere et al. *N. Engl. J. Med.* 1998; 339(4):209-215
- 4. Structural identification of a key protective B-cell epitope in Lyme disease antigen OspA. Ding et al. *J. Mol. Biol.* 2000; 302(5):1153-1164
- 5. Nanoscopic localization of surface-exposed antigens of *Borrelia burgdorferi*. Lemgruber et al. *Microsc. Microanal.* 2015; 21(03):680-688
- 6. Comparative cryo-electron tomography of pathogenic Lyme disease spirochetes. Kudryashev et al. Mol. Microbiol. 2009; 71(6):1415-1434



For research use only!

ADG0081L©24082022

 Hinweis/Note:
 ADG0081L

 Der Packungsbeileger dient nur als erste Information. Der relevante Packungsbeileger liegt der Ware bei.

The datasheet is for information purposes only. The current datasheet will be enclosed with product shipment.